

## AMENDMENTS TO THE SPECIFICATION

On a separate page after the claims, please add an Abstract as follows:

### Abstract of the Disclosure

A coating composition comprising one or more thiol compounds; one or more oxidatively drying polyunsaturated condensation products of one or more fatty acids and/or esters; one or more polyols; photo-initiators; optionally, one or more polycarboxylic acids and/or anhydrides of polycarboxylic acids; and optionally, other building blocks. The ratio between the number of unsaturated groups and the number of SH-functional groups is preferably between 2:1 and 20:1. Preferably, the photo-initiator is a mono-, bis-, or trisacyl phosphine oxide or a mixture thereof. The coating composition according to the invention can be used as one component coating system, preferably as a high solids coating composition comprising 0 to about 40 weight % solvents, or as an aqueous coating composition.